



# Choice Series


## Premier Recessed & Surface-Mounted LED Luminaires

[www.kirlinlighting.com](http://www.kirlinlighting.com)

# Choice Series

## Premier LED Luminaires

Crafting a beautiful and functional space requires beautiful and functional illumination. The Choice Series of timeless and specialty luminaires from Kirlin is designed to provide the necessary features to meet any project's desired aesthetic and performance. Specifiable shape, output, color temperature, CRI, distribution, controls, environmental listings (including ISO 5/Class 100 cleanroom, NSF, IP65, IP66, and Kirlin's BioGard™ antimicrobial finish) and emergency options put the world of Kirlin quality at your fingertips.



Made in the USA




FCC Part 15 Certified



UL Listed Wet, Damp, Dry

## Hallmarks of Kirlin Value



### 1 "Gold Standard" Housing

Kirlin's acrylic enameled gold aluminum housing is rust-proof, corrosion resistant, and proven to withstand the ASTM 1,000 hour salt spray test. Most importantly, components in a Kirlin housing operate 5°C cooler than in an identical steel housing, enabling safe contact with insulation (Type IC) up to 4000L.

### 2 Sustainable Upgrade-Ready Design

All Kirlin products are designed with long-term sustainability in mind. Modular construction promotes seamless upgrades to the latest, greatest, most energy efficient source technology, and cost-effective remodeling without disruption of existing ceilings. Fixture components are visible and conveniently serviceable through the luminaire aperture.

### 3 Precision Optics & Glare Control


LED source modules, specialty optics, lenses, diffusers, and reflectors work in harmony to produce the optimal beam pattern for any application. Clean, architectural cutoffs and high quality one-piece anodized trims minimize glare. Precisely engineered optical design maximizes visual comfort while delivering high light levels efficiently.



## The Choice is Yours

Engineered to give designers a breadth of options in specifying LED luminaires, the Choice Series comprises 34 products with tens of millions of possible configurations, so you can create a one-of-a-kind luminaire that's perfectly suited to your space - selecting trim shape, lumen package, color temperature, CRI, and beam distribution.

### Shape




### Lumens



For highest lumen packages, see [LSC-11RDN](#)


### Color Temp



### CRI



### Beam Distributions



Based on Regressed Lens 6" Downlight

## 2" Pinholes

### Downlight and Adjustable


Discreet small-aperture downlights and adjustables in round and square lend an air of sophistication to commercial, residential, and hospitality spaces. With lumen packages up to 2500, these babies can pack a luminous punch, too!




-PNR



-PNS




-PNR-BN



### LRC-02PND

Open 2" Pinhole Downlight  
 ▲ SPT, NFL, MFL, WFL  
 (Type IC) 1000L - 2500L




### LRC-02PNA

2" Pinhole Adjustable Downlight  
 ▲ SPT, NFL, MFL, WFL  
 (Type IC) 1000L - 2500L

## 4" Luminaires

Kirlin's 4" timeless recessed luminaires provide a breadth of aesthetic and functional choices to meet the demands of nearly any space. Matching downlights, wall washes, and adjustables with a deep semi-specular cone are complemented by lensed fixtures and "porthole" design.


### Open Downlight



-RND



-SQR



### LRC-04CDN

Open Appearance 4" Downlight  
 ▲ SPT, NFL, MFL, WFL  
 (Type IC) 1000L - 3000L  
 (Non-IC) 4000L

### Lensed Downlight




-RND




-SQR



-FTR




-PTR



### LRC-04LDN

Regressed Lens 4" Downlight  
 (RND & SQR) NFL, MFL, WFL  
 (FTR & PTR) MFL, WFL  
 (Type IC) 1000L - 3000L  
 (Non-IC) 4000L


### Open Adjustable



-RND




-SQR



### LRC-04CAD

Open Adjustable 4" Downlight  
 ▲ SPT, NFL, MFL, WFL  
 (Type IC) 1000L - 3000L  
 (Non-IC) 4000L


### Wall Wash



-RND



-SQR





### LRC-04LWW

Lensed 4" Wall Wash  
 ▲ WFL  
 (Type IC) 750L - 2500L  
 (Non-IC) 3000L

## 6" Luminaires

The larger-format 6" timeless recessed luminaires deliver up to 7000 lumens while maintaining precise optical control across the four available beam distributions. Deep cones in semi-specular finish result in dramatic and high-performance illumination from ceilings of any height.



### Open Downlight



#### LRC-06CDN

Open Appearance 6" Downlight  
 ▲ SPT, NFL, MFL, WFL  
 (Type IC) 1000L - 4000L  
 (Non-IC) 5000L - 7000L



### Lensed Downlight



#### LRC-06LDN

Regressed Lens 6" Downlight  
 ▲ SPT, NFL, MFL, WFL  
 (Type IC) 1000L - 4000L  
 (Non-IC) 5000L - 7000L



### Open Adjustable



#### LRC-06CAD

Open Appearance 6" Adjustable  
 ▲ SPT, NFL, MFL, WFL  
 (Type IC) 1000L - 4000L  
 (Non-IC) 5000L - 7000L

### Wall Wash




#### LRC-06LWW

Lensed 6" Wall Wash  
 ▲ WFL  
 (Type IC) 1000L - 4000L  
 (Non-IC) 5000L - 7000L

## Kirlin K-Lens

The ultimate timeless classic is Kirlin's characteristic square "K-Lens." Pioneered by Ivan Kirlin in the 1930s, this lens design ensures uniform illumination of indoor and outdoor spaces, and is available in two sizes, supporting lumen packages up to 7000 lumens.

### 8" Downlight




#### LRC-08KLD

Classic "K-Lens" 8" Downlight  
 ▲ WFL  
 (Type IC) 1000L - 2500L  
 (Non-IC) 3000L

Lens Options  
 -13, -17, -23, -WA

### 10" Downlight



#### LRC-10KLD

Classic "K-Lens" 10" Downlight  
 ▲ WFL  
 (Type IC) 1000L - 4000L  
 (Non-IC) 5000L - 7000L

Lens Options  
 -13, -17, -23, -WA


## Vandal Resistant

Available in 4", 6" and 7" apertures, Kirlin's vandal-resistant downlights are IK10 rated, ligature-resistant, and approved for use in high-risk behavioral health environments. Optional sealed trim and cleanroom rating make these fixtures ideal for emergency rooms and seclusion spaces as well.

### 4" Downlight



-RWF




#### LRC-04VND

Ligature & Vandal 4" Downlight  
 ⚠️ SPT, NFL, MFL, WFL  
 (Type IC) 1000L - 2500L

### 6" Downlight



-RWF



#### LRC-06VND

Ligature & Vandal 6" Downlight  
 ⚠️ NFL, MFL, WFL  
 (Type IC) 1000L - 4000L  
 (Non-IC) 5000L - 7000L




-RBN

### 7" Downlight



-RWF



#### LRC-07VND

Vandal Resistant 7" Downlight  
 ⚠️ SPT, NFL, MFL, WFL  
 (Type IC) 1000L - 4000L  
 (Non-IC) 5000L - 7000L



IK10 Impact Resistant



Vandal Resistant



IP65 See Option -I65



IP66 See Option -I66



ISO 5/Class 100 See Option -SH


## Sealed IP65/IP66

Sealed trims and available ISO 5/Class 100 cleanroom construction are a must-have in sanitary environments from hospitals to food prep areas. IP65/IP66 ratings paired with Kirlin's all-aluminum acrylic enamel housing make these fixtures a winner in natatoriums and outdoor canopies too.

### 4" IP66 Downlight



-RWF




#### LRC-04IPD

IP66 Rated 4" Downlight  
 ⚠️ SPT, NFL, MFL, WFL  
 (Type IC) 1000L - 2500L

### 6" IP66 Downlight



-RWF



#### LRC-06IPD

IP66 Rated 6" Downlight  
 ⚠️ NFL, MFL, WFL  
 (Type IC) 1000L - 4000L  
 (Non-IC) 5000L - 7000L



-RBN




Virginia Treatment Center for Children, Richmond, VA

### 7" IP65 Downlight



-RWF



#### LRC-07IPD



IP65 Rated 7" Downlight  
 ⚠️ SPT, NFL, MFL, WFL  
 (Type IC) 1000L - 4000L  
 (Non-IC) 5000L - 7000L



## Super Shallow

When plenum space is at a premium, look no further than Kirlin's super shallow Choice Series luminaires, which deliver up to 4000 lumens from a recessed depth of 2¾". With look-alike trims that match several of our Timeless Classic fixtures, these products can be used alongside standard-depth Kirlin downlights for a seamless and consistent aesthetic.



### 4" Downlight



#### LRC-04SDN

Super Shallow 4" Downlight  
(RND & SQR) NFL, MFL, WFL  
▲ (FTR & PTR) MFL, WFL  
(Type IC) 1000L - 3000L

### 5-6" Downlight




#### LRC-05SDN

Super Shallow 5-6" Downlight  
(FLR Only) NFL, MFL, WFL  
▲ (FLT & RDL) WFL  
(Type IC) 1000L - 3000L  
(Non-IC) 4000L

## Shower & Drop Lens

Kirlin fixtures thrive in any environment that requires high light levels in a damp or corrosive location. This is true in showers or bathrooms, where our dead front non-conductive shower light is a top-performer, and in parking garages or outdoor canopies, where the 7000 lumen bisymmetric drop lens downlight is frequently installed.



### Shower



#### LRC-05DFS

"Dead Front" 5" Shower Light  
▲ MFL  
(Type IC) 1000L - 2500L

### Drop Lens



#### LRC-11DLD

Bisymmetric Drop Lens 11" Downlight  
▲ WFL  
(Type IC) 1000L - 4000L  
(Non-IC) 5000L - 7000L


-PDL



## Surface Round

The Choice Series 3", 6", 7", 9" and 11" round and square surface-mounted downlights deliver up to 11,000 lumens. Ideal in indoor and outdoor environments in black, dark bronze, silver, or white finish, these cylinders provide quality illumination from an attractive, deep-drawn fixture housing.


### 3" x 12" Cylinder



#### LSC-03RDN

Cord Mount 3" x 12" Cylinder  
 ▲ NFL, MFL, WFL  
 1000L - 4000L


### 6" x 15" Cylinder



#### LSC-06RDN

Surface Mount 6" x 15" Cylinder  
 ▲ SPT, NFL, MFL, WFL  
 1000L - 5000L


### 9" x 16" Cylinder



#### LSC-09RDN

Surface Mount 9" x 16" Cylinder  
 ▲ SPT, NFL, MFL, WFL, VWFL  
 2000L - 7000L

### 11" x 18" Cylinder




#### LSC-11RDN

Surface Mount 11" x 18" Cylinder  
 ▲ NFL, MFL, WFL  
 3000L - 10500L

## Surface Square

7" x 18" Square




### LSC-07SDN

Surface Mount 7" x 18" Square Housing  
 ▲ SPT, NFL, MFL, WFL  
 2000L - 7000L

## Shallow Round

12" Cylinder



### LSC-12RSD

Super Shallow 12" Cylinder  
 ▲ SPT, NFL, MFL, WFL  
 1000L - 4000L


## Shallow Square

Kirlin's rustproof aluminum shallow square downlights are made to withstand the elements of harsh weather as well as high abuse. Available from 1000 up to 7000 lumens, these high lumen, energy efficient luminaires are ideal for airports, parking structures, and mass transit as well as arenas, sport courts, and public spaces.


13" Downlight



-SKL



-SKL



-RDL

### LSC-13SDN


Classic "K-Lens" Surface Downlight  
 ▲ WFL  
 1000L - 7000L

-RDL

14" Downlight



-PDL




### LSC-14DLD

Drop Lens 14" Surface Downlight  
 ▲ WFL  
 1000L - 7000L

## Up/Down Luminaires

With numerous combinations of output and beam spreads in both the direct (down) and indirect (up) positions, Choice Series “up/downs” add dramatic highlights to facades, corridors, and breezeways.


### 3" x 12" Cylinder



#### LWC-03RDI

Direct/Indirect 3" x 12" Cylinder  
 Direct (Down) NFL, MFL, WFL  
 Direct (Up) NFU, MFU, WFU  
 (Direct) 1000L - 2000L  
 (Indirect) 1000U - 2000U


### 6" x 18" Cylinder



#### LWC-06RDI

Direct/Indirect 6" x 18" Cylinder  
 Direct (Down) SPT, NFL, MFL, WFL  
 Direct (Up) SPU, NFU, MFU, WFU  
 (Direct) 1000L - 3500L  
 (Indirect) 1000U - 3500U



### 9" x 19" Cylinder



#### LWC-09RDI

Direct/Indirect 9" x 19" Cylinder  
 Direct (Down) SPT, NFL, MFL, WFL, VWFL  
 Direct (Up) SPU, NFU, MFU, WFU  
 (Direct) 1500L - 5000L  
 (Indirect) 1500U - 5000U

### 7" x 18" Square



#### LWC-07SDI

Direct/Indirect 7" x 18" Square Housing  
 Direct (Down) SPT, NFL, MFL, WFL  
 Direct (Up) SPU, NFU, MFU, WFU  
 (Direct) 1500L - 5000L  
 (Indirect) 1500U - 5000U

# Choose Your Own Adventure

Each luminaire design begins with the hallmarks of Kirlin value — a “Gold Standard” fixture housing, serviceable and sustainable construction, and optimized Chip-On-Board LED placement for optical control. From there, the combinations of shape, output, color, distribution, and other options are nearly endless.

