

CATALOG #	TYPE
JOB NAME WATTAGE	VOLTAGE

6" 1 T4Q 250 WATT MAXIMUM

RS00619

Square Fresnel Lensed Downlight

Features

Lamp Assembly

- Designed for:
- 1 vertical 250 watt (max.) frosted tungsten halogen T4Q.
- Double contact bayonet (DCB) base.
- Rated 2000 hour life; 100 CRI.
- 3000°K color temperature and 100 CRI for accurate tissue rendering and patient evaluation.
- Dimmable (controls by others).
- Lampholder
- Double contact bayonet. Heat resistant.Lamp socket bracket designed as heat sink.
- Reflector
- Ellipsoidal specular Alzak® aluminum for precise control.
- Trim Assembly
- Cast aluminum trim frame with baked white enamel finish. Custom color available.
- Hinged formed steel door with captive thumbscrew. Baked white enamel finish.
- Clear tempered fresnel lens.
- Smooth door surface prevents contaminant or dust build-up. Easily cleaned.

Housing


- Cool, acrylic enameled aluminum.
- Dissipates heat across entire surface area. Ventilated for convection cooling.
- Rustproof: Exceeds 1000 hour ASTM 5% salt spray test.
- Entire luminaire serviced through hinged door and lens assembly.
- Built-in plaster frame.

Outlet Box

- Prewired 14 GA (NEC) galvanized steel, UL listed; with removable insulated cover.
- 1/2" and 3/4" knockouts.


Installation

- Lightweight. Recesses in any ceiling type.
- May be used for patient lighting from cornice
- above head or foot of bed.27" galvanized hanger bars with adjustable
- mounting brackets supplied. UL, C-UL (Canada) Listings
- Wet damp or dry locations
- Wet, damp or dry locations, covered ceilings.
 Through-branch circuit conductors (6 #12).
- Supply wire rating: 90°C.
- Three Year Limited Warranty
- Complete standard fixture.
- **Thermal Protection**
- Per current NEC.



Recessed Square Fresnel Lensed Downlight

Performance at a Glance



THE **KIRLIN** COMPANY

3401 EAST JEFFERSON AVENUE • DETROIT, MICHIGAN 48207-4232 (313) 259-6400 • Fax: (313) 259-9409 or (313) 259-3121 • www.kirlinlighting.com

HEALTHCARE FACILITY & PATIENT LIGHTING

MAXIMUM WATTAGE 1 T4Q 250 CATALOG NUMBER

RS00619

DUE TO OUR CONTINUING EFFORT TO IMPROVE PRODUCTS, TECHNICAL INFORMATION IS SUBJECT TO CHANGE WITHOUT NOTICE.

Alzak[®] is a registered trademark of ALCOA.


Notes:




Footcandle Distribution Data

- All lighting levels are expressed in average footcandles, with distances expressed in feet, as measured at the work plane (3'6").
- 2. The work plane (3'6") is defined as: examination bed height, plus patient body depth.
- 3. Fixture is centered over examination bed with its longest axis parallel to the length of the bed.

Ceiling Height: 8' • Work Plane: 3'6"



Ceiling Height: 8'6" • Work Plane: 3'6"



Options

- -45 Gasket between trim frame and ceiling. (Minimizes dust streaks on ceiling.)
- -46 Gasket between lens and door. Minimizes contaminant and dust entry.
- -58 277/120 volt stepdown transformer for 277 volt line input, prewired into each fixture; with 277 volt thermal protector.
- -94 Custom color frame and door. Consult factory.-97 For other input supply voltages, consult factory.
- -99 Special modification. Consult factory.
- -LP With tungsten halogen lamp. 250 watt frosted T4Q DCB base. 2000 hour life rating.
- -TA Top access. For servicing from above ceiling.
- -TC Teflon coated safety lens; retains glass particles in event of breakage. Consult factory.

SUBMITTAL DATA

VOLTAGE

JOB NAME

WATTAGE

CATALOG NUMBER

APPROVAL STAMP

LIMITED WARRANTY: CATAL CGED KIRLIN FIXTURES ARE WARRANTED FREE OF DEFECTS IN WORKMANSHP OR MATERIAL FOR THREE YEARS FROM DATE OF PURCHASE. USING LOT DATE OF PURCHASE IN STRAILED TO LEC. IN NORMAL USE. Javandactures in mited to the longing, and manufacture stall not back for any other damages, fact or indirect, isstand or stifted by purchasers or work any can statement to the longing, and manufacture stall not back for any other damages. For or indirect, isstand or stifted by purchasers or work any can statement and the statement of the lock for any other damages. For or indirect, isstand or stifted by purchasers or work any can statement constitute a warranty or animation warranty. Anomal use, abuse of the facture, import installation, or relard, or indirection of the lock without provide to a statement constitute and the statement to statement as abuse of the facture. Import installation, or relard, or indirection of the lock without provide and the statement of the statement of the statement of the state of the statement of t n. This r such fixture or refunc d to the buyer in place nufacturer will render t e of a

REV SEPT