


Classic Glow Rings: Option -33 for Choice Series

To order a Kirlin Glow Ring, begin by adding -33 to the product number. Then, configure your Glow Ring by selecting each of the 7 design elements listed below:

(Example: LRC-04CDN-3000L-UNV-RND-NFL-30K-33-GLM-1L-FRR-ROF-SIF-ROS-SIS)



1. Ring Material
(choose one)



Glass (-GLM)



Acrylic (-ACM)




Custom (-CUM)


2. # of Rings
(choose one)



1 Ring (1L)



2 Rings (-2L)



3 Rings (-3L)


3. Ring Design
(choose one)



Frosted Ring (-FRR)



Clear Ring (-CRR)



Solid Disk (-SDR)




Frosted Center (-FCR)



Frosted Disk (-FDR)

4. Finial Design
(choose one)



Round (-ROF)



Knurled (-KNF)



Cone (-COF)


5. Finial Color
(choose one)




Brass (-BRF)



Silver (-SIF)



Black (-BLF)




White (-WHF)




Custom (-CUF)

6. Standoff Design
(choose one)



Round (-ROS)



Hexagonal (-HOS)


7. Standoff Color
(choose one)



Brass (-BRS)



Silver (-SIS)



Black (-BLS)



White (-WHS)



Custom (-CFS)

LED manufacturers maintain a tolerance of +/-7% on flux (lumens) and power (electrical) measurements.